



# Moisture Meters for Lumber and Woodworking



Cabinetmakers, woodworkers and craftsman take pride in their work and realize that excessive moisture can cause major problems in their finished products. Delmhorst moisture meters provide accurate results to ensure the quality of each and every project. Whichever model you choose, you will find the superior value and high degree of accuracy and reliability you have come to expect from Delmhorst. A wide variety of capabilities and a service team solely focused on customer satisfaction have made Delmhorst the industry leader for over 65 years.

# RDM-3



The RDM-3 is a handheld moisture meter packed with features and is perfect for the lumber and woodworking industries. The RDM-3 is ideal for anyone who needs to collect and analyze key statistical information, and features a menu driven display, corrections for 69 individual wood species, and temperature correction. Once stored, your data can be downloaded to Excel spreadsheet using optional computer software.

# **J-2000**



For woodworkers, furniture manufacturers, QC inspectors and small mills, the J-2000 helps to keep up with ever-changing job conditions. With built-in wood species correction and temperature correction, along with storage and informative reading statistics, the J-2000 is an extremely versatile tool at a great value.

# ProScan

**J-4** 



The next generation in pinless moisture measurement! The ProScan lets you quickly cover large areas and note elevated moisture areas thanks to advanced RF technology. With a bright digital display that measures MC in wood, built-in species correction by specific gravity, adjustable alarm, a HOLD feature, and a built-in calibration/battery check, ProScan is a great complement to any pin-type moisture meter.



A tried and true solution for woodworkers and small shops, the J-4 is a user friendly meter that you'll pick up with ease, but never want to put down! The J-4 features an easy to read analog display, and builtin calibration check.

### **J-Lite**



An entry level meter, the J-Lite offers a great value for its price. A unique LED display, simple controls, and an extended 3 year warranty make the J-Lite a must-have for woodworkers.



# RC-1E


Clad in a durable and beautifully finished hardwood case, the RC-1E's classic design and wide moisture measurement range have made it a favorite among dry kiln operators for years.

Each meter may be purchased individually or as a package. Packages include meter, carrying case, 26-ES electrode, and (10) replacement 496 pins.

# Electrodes

2-E

26-ES



The #496 2" insulated pins on this slide hammer electrode allow you to determine accurate moisture readings at various levels of penetration. Useful for determining moisture gradients in lumber.



Uses the same contact pins that are mounted on each meter, providing 5/16" penetration. Used on wood up to an inch thick.

22-E



Comes with A-111 uninsulated contact pins for 1 1/2" penetration. For use on soft woods.


### Electrodes (continued)

18-ES



Similar to 26-ES, the 18-ES has a 17" steel shaft. Comes with 608 insulated pins for 3 1/4" penetration. Ideal for timber, poles, and ties.


#### 15-E



Two rows of 4 pins with 1/8" penetration. Penetration can be adjusted according to stock thickness by means of gauge block. Used for veneer.

# **Contact Pins**

42-E/B



T-handle electrode with 3/8" penetration to check moisture in stacks of lumber in or out of the kiln. Stickers must be at least 5/8". Also available in 4 1/2 ft. length as 42E/B/4.5.



#### 2497/A-100

Uninsulated pin and retainer with 5/16" penetration used on meters with built-in pins and the 2-E electrode.



#### 608

Insulated 4" pin with 3 1/4" penetration. Standard on 18-ES. Also available in 7" length with 6" penetration as 608/001.

penetration. Suitable for wood up

Insulated 1 1/2" pin with 1/2"



#### A-111

Uninsulated 1 7/16" pin with 1/2" penetration and tapered point. Compatible with both the 26-ES and the 22-E electrodes.

#### 496

Insu etrat Suita

Insulated 2" pin with 1 1/8" penetration. Standard on the 26-ES. Suitable for wood up to 5" thick.



#### PC Kit

to 2" thick.

1849

Enables download of stored readings from RDM-3 to PC via infrared linking. View in software application or spreadhsheet.

For over 65 years, Delmhorst has been the leading manufacturers of high quality moisture meters and thermo-hygrometers. We offer a wide range of meters for a variety of applications including restoration, IAQ, flooring, woodworking/lumber, construction, agriculture, and paper.

