



Dimension:

| Size (L) | W | H |
|-------------------------------|-----|------|
| $0.5 \leq L \leq 10\text{mm}$ | 9mm | 30mm |
| $L > 10\text{mm}$ | 9mm | 35mm |

- Made of carbide, extremely wear resistance and corrosion resistance, excellent dimension stability
- Meet ISO3650
- Supplied with manufacturer inspection certificate



4164-32

| Blocks per set | Gage blocks included in set | | | Code | |
|----------------|-----------------------------|-----------|----------|-----------------|------------------|
| | Size (mm) | Step (mm) | Quantity | Grade 0 | Grade 1 |
| 122 | 1.0005 | | 1 | 4164-122 | 4164-1122 |
| | 1.001-1.009 | 0.001 | 9 | | |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 1.6-1.9 | 0.1 | 4 | | |
| | 0.5-24.5 | 0.5 | 49 | | |
| | 30-100 | 10 | 8 | | |
| | 25-75 | 50 | 2 | | |
| 112 | 1.0005 | | 1 | 4164-112 | 4164-1112 |
| | 1.001-1.009 | 0.001 | 9 | | |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 0.5-24.5 | 0.5 | 49 | | |
| | 25-100 | 25 | 4 | | |
| 103 | 1.005 | | 1 | 4164-103 | 4164-1103 |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 0.5-24.5 | 0.5 | 49 | | |
| | 25-100 | 25 | 4 | | |
| 87 | 1.001-1.009 | 0.001 | 9 | 4164-87 | 4164-187 |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 0.5-9.5 | 0.5 | 19 | | |
| | 10-100 | 10 | 10 | | |
| | 0.5 | | 1 | | |
| 83 | 1 | | 1 | 4164-83 | 4164-183 |
| | 1.005 | | 1 | | |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 1.5-1.9 | 0.1 | 5 | | |
| | 2-9.5 | 0.5 | 16 | | |
| | 10-100 | 10 | 10 | | |
| | | | | | |

| Blocks per set | Gage blocks included in set | | | Code | |
|----------------|-----------------------------|-----------|----------|-----------------|------------------|
| | Size (mm) | Step (mm) | Quantity | Grade 0 | Grade 1 |
| 76 | 1.005 | | 1 | 4164-76 | 4164-176 |
| | 1.01-1.49 | 0.01 | 49 | | |
| | 0.5-9.5 | 0.5 | 19 | | |
| | 10-40 | 10 | 4 | | |
| | 50-100 | 25 | 3 | | |
| 47 | 1.005 | | 1 | 4164-47A | 4164-147A |
| | 1.01-1.09 | 0.01 | 9 | | |
| | 1.1-1.9 | 0.1 | 9 | | |
| | 1-24 | 1 | 24 | | |
| 47 | 25-100 | 25 | 4 | 4164-47 | 4164-147 |
| | 1.005 | | 1 | | |
| | 1.01-1.19 | 0.01 | 19 | | |
| | 1.2-1.9 | 0.1 | 8 | | |
| | 1-9 | 1 | 9 | | |
| 46 | 10-100 | 10 | 10 | 4164-46 | 4164-146 |
| | 1.001-1.009 | 0.001 | 9 | | |
| | 1.01-1.09 | 0.01 | 9 | | |
| | 1.1-1.9 | 0.1 | 9 | | |
| | 1-9 | 1 | 9 | | |
| | 10-100 | 10 | 10 | | |
| 32 | 1.005 | | 1 | 4164-32 | 4164-132 |
| | 1.01-1.09 | 0.01 | 9 | | |
| | 1.1-1.9 | 0.1 | 9 | | |
| | 1-9 | 1 | 9 | | |
| | 10-30 | 10 | 3 | | |
| | 50 | | 1 | | |
| | | | | | |