



AC-8/8B/8S/9/9B/9C/ 10/10B/10S/10+/15

Voltage Testers

Features (AC-10+)

Safe CAT IV-1000V rating and toolbox tough with rubber reinforced case and buttons and low-profile detection tip Vibration and red LED alarms alert users to the presence of voltage in noisy areas

Versatile High/Low sensitivity modes detect voltage on industrial equipment and low-voltage installations

Powerful LED worklight always ready to illuminate poorly lit locations

Inspection light at the probe tip facilitates testing in dark areas

IP67 Waterproof



Features												
		AC-8	AC-8 B	AC-8 S	AC-9	AC-9 B	AC-9 C	AC-10	AC-10 B	AC-10 S	AC-10 +	AC-15
ACV Non-Contact Detection		*	*	*	*	*	*	*	*	*	*	*
Operating Range (50Hz/60Hz)	12V to 1000V											*
	24V to 1000V			*								
	50V to 1000V	*						*		*	*	*
	100V to 1000V		*	*	*	*			*			
	200V to 1000V	*		*	*	*	*					
Voltage Sensitivity detector (Single)		*	*	Dual	*	*	*	*	*	*	*	*
Red LED indicators		*	*	*	*	*	*	*	*	*	*	*
Green LED indicators								*	*	*	*	*
Beeper sounds			*	*		*		*	*	*	*	*
Motor Shaking							*					*
Flashlight function		*	*	*	*	*	*	*	*	*	*	*
Auto Power Off		*	*	*	*	*	*	*	*	*	*	*
System self test		*	*	*	*	*	*	*	*	*	*	*
Switchable audible and silent mode										*	*	*
Rugged, double molded case		*	*	*	*	*	*	*	*	*	*	*
CATIV-1000V		*	*	*	*	*	*	*	*	*	*	*

Size(HxWxD): 158mm x 21mm x 25mm

Weight: 48g (AC-8/AC-8S)

Size(HxWxD): 176mm x 26mm

Weight: 48g (AC-9/AC-9B)

Specifications	
Standard	CATIV 600V, CAT III 1000V
Operating Range	VoltFinder: 200 ~ 1000V AC; 100 ~ 1000V AC
Operating Temp.	-10°C ~ 50°C
Operating Humidity	0°C ~ 30°C; 95%RH
	30°C ~ 40°C; 75%RH
	40°C ~ 50°C; 45%RH

Applications



AC-8/8B/8S/9/9B/9C/10/10B/10S/10+/15

- **Features (AC-10+)**
- Safe CAT IV-1000V rating and toolbox tough with rubber reinforced case and buttons and low-profile detection tip
- Vibration and red LED alarms alert users to the presence of voltage in noisy areas
- Versatile High/Low sensitivity modes detect voltage on industrial equipment and low-voltage installations
- Powerful LED worklight always ready to illuminate poorly lit locations
- Inspection light at the probe tip facilitates testing in dark areas
- IP67 Waterproof



Accessories:

Two "AAA" batteries and clamshell